

## WILDFLOWERS

### WHITE/GREEN

- \_\_\_ Three-spot mariposa lily (*Calochortus apiculatus*)
- \_\_\_ Queen's cup (*Clintonia uniflora*)
- \_\_\_ Fairybells (*Disporum hookeri*)
- \_\_\_ False Soloman's-seal (*Smilacina racemosa*)
- \_\_\_ Star-flowered Soloman's-seal (*Smilacina stellata*)
- \_\_\_ Claspig twisted stalk (*Streptopus amplexifolius*)
- \_\_\_ Trillium (*Trillium ovatum*)
- \_\_\_ Meadow death-camus (*Zigadenus venenosus*)
- \_\_\_ Mountain death-camus (*Zigadenus elegans*)
- \_\_\_ White bog-orchid (*Platanthera dilatata*)
- \_\_\_ Rattlesnake plaintain (*Goodyera oblongifolia*)
- \_\_\_ Bastard toadflax (*Geocaulon lividum*)
- \_\_\_ Curlydock (*Rumex crispus*)
- \_\_\_ Springbeauty (*Claytonia lanceolata*)
- \_\_\_ Field chickweed (*Cerastium arvense*)
- \_\_\_ Night-flowering catchfly (*Silene noctiflora*)
- \_\_\_ Bladder campion (*Silene vulgaris*)
- \_\_\_ Baneberry (*Actaea rubra*)
- \_\_\_ Cut-leaf anemone (*Anemone multifida*)
- \_\_\_ White water-buttercup (*Ranunculus aquatilis*)
- \_\_\_ Meadow rue (*Thalictrum occidentale*)
- \_\_\_ Drummond's rockcress (*Arabis drummondii*)
- \_\_\_ Watercress (*Nasturtium officinale*)
- \_\_\_ Shepherd's purse (*Capsella bursa-pastoris*)
- \_\_\_ Prairie pepper-grass (*Lepidium densiflorum*)
- \_\_\_ Spotted saxifrage (*Saxifraga bronchialis*)
- \_\_\_ Foam flower (*Tiarella unifoliata*)
- \_\_\_ Small-flowered woodland star (*Lithophragma parviflorum*)
- \_\_\_ Silverleaf phacelia (*Phacelia hastata*)
- \_\_\_ Strawberry (*Fragaria virginiana*)
- \_\_\_ Creamy peavine (*Lathyrus ochroleucus*)
- \_\_\_ Alsike clover (*Trifolium hybridum*)
- \_\_\_ White sweet-clover (*Melilotus alba*)
- \_\_\_ Canada violet (*Viola canadensis*)
- \_\_\_ Sarsaparilla (*Aralia nudicaulis*)
- \_\_\_ Large-fruited lomatium (*Lomatium macrocarpum*)
- \_\_\_ Cow parsnip (*Heracleum lanatum*)
- \_\_\_ Bunchberry (*Cornus canadensis*)
- \_\_\_ One-sided wintergreen (*Orthilia secunda*)
- \_\_\_ Single delight wintergreen (*Moneses uniflora*)
- \_\_\_ Indian-hemp dogbane (*Apocynum cannabinum*)
- \_\_\_ Northern bedstraw (*Galium boreale*)
- \_\_\_ Sweet-scented bedstraw (*Galium triflorum*)

- \_\_\_ Yarrow (*Achillea millefolium*)
- \_\_\_ Pearly everlasting (*Anaphalis margaritacea*)
- \_\_\_ White pussytoes (*Antennaria lanata*)
- \_\_\_ Racemose pussytoes (*Antennaria racemosa*)
- \_\_\_ Low pussytoes (*Antennaria dimorpha*)
- \_\_\_ Umber pussytoes (*Antennaria umbrinella*)
- \_\_\_ Field pussytoes (*Antennaria neglecta*)
- \_\_\_ Cut-leaved daisy (*Erigeron compositus*)
- \_\_\_ Shaggy fleabane (*Erigeron pumilus*)
- \_\_\_ Pathfinder (*Adenocaulon bicolor*)
- \_\_\_ Oxeye daisy (*Chrysanthemum leucanthemum*)
- \_\_\_ Horseweed (*Conyza canadensis*)
- \_\_\_ Daisy fleabane (*Erigeron strigosus*)
- \_\_\_ Tuffed white prairie aster (*Aster ericoides*)

### **YELLOW/ORANGE**

- \_\_\_ Glacier lily (*Erythronium grandiflorum*)
- \_\_\_ Yellowbells (*Fritillaria pudica*)
- \_\_\_ Columbia lily (*Lilium columbianum*)
- \_\_\_ Sulphur-flowered umbrellaplant (*Eriogonum umbellatum*)
- \_\_\_ Yellow waterlily (*Nuphra polysepalum*)
- \_\_\_ Sagebrush buttercup (*Ranunculus glaberrimus*)
- \_\_\_ Meadow buttercup (*Ranunculus acris*)
- \_\_\_ Loesel's tumble-mustard (*Sisymbrium loeselii*)
- \_\_\_ Columbia bladderpod (*Lesquerella douglasii*)
- \_\_\_ Field mustard (*Brassica campestris*)
- \_\_\_ Lance-leaved stonecrop (*Sedum lanceolatum*)
- \_\_\_ Round-leaved alumroot (*Heuchera cylindrica*)
- \_\_\_ Common silverweed (*Potentilla anserina*)
- \_\_\_ Graceful cinquefoil (*Potentilla gracilis*)
- \_\_\_ Diverse-leaved cinquefoil (*Potentilla diversifolia*)
- \_\_\_ Sticky cinquefoil (*Potentilla glandulosa*)
- \_\_\_ Large-leaved avens (*Geum macrophyllum*)
- \_\_\_ Sulphur hedysarum (*Hedysarum sulphurescens*)
- \_\_\_ Field locoweed (*Oxytropis campestris*)
- \_\_\_ Yellow sweet-clover (*Melilotus officinalis*)
- \_\_\_ Black medick (*Medicago lupulina*)
- \_\_\_ Yellow wood violet (*Viola glabella*)
- \_\_\_ Round-leaved violet (*Viola orbiculata*)
- \_\_\_ Narrow-leaved parsley (*Lomatium triternatum*)
- \_\_\_ Puccoon (*Lithospermum ruderale*)
- \_\_\_ Dalmatian toadflax (*Linaria genistifolia*)
- \_\_\_ Yellow penstemon (*Penstemon confertus*)
- \_\_\_ Mullein (*Verbascum thapsus*)

- \_\_\_ Sulphur paintbrush (*Castilleja sulphurea*)
- \_\_\_ Bladderwort (*Utricularia vulgaris*)
- \_\_\_ Heart-leaved arnica (*Arnica cordifolia*)
- \_\_\_ Orange arnica (*Arnica fulgens*)
- \_\_\_ Pasture sage (*Artemisia frigida*)
- \_\_\_ Arrow-leaved balsamroot (*Balsamorhiza sagittata*)
- \_\_\_ Pineapple weed (*Matricaria discoidea*)
- \_\_\_ Curly-cup gumweed (*Grindelia squarrosa*)
- \_\_\_ Brown-eyed Susan (*Gaillardia aristata*)
- \_\_\_ Hairy golden aster (*Heterotheca villosa*)
- \_\_\_ Woolly groundsel (*Senecio canus*)
- \_\_\_ Black-tipped groundsel (*Senecio lugens*)
- \_\_\_ Arrow-leaved groundsel (*Senecio triangularis*)
- \_\_\_ Canada goldenrod (*Solidago canadensis*)
- \_\_\_ Spiked-liked goldenrod (*Solidago spathulata*)
- \_\_\_ Sow-thistle (*Sonchus arvensis*)
- \_\_\_ Oyster plant (*Tragopogon dubius*)
- \_\_\_ Slender hawksbeard (*Crepis atrabarba*)
- \_\_\_ Annual hawksbeard (*Crepis tectorum*)
- \_\_\_ Narrow-leaved hawkweed (*Hieracium umbellatum*)
- \_\_\_ Common dandelion (*Taraxacum officinale*)

### **PINK/RED**

- \_\_\_ Water smartweed (*Polygonum amphibium*)
- \_\_\_ Nodding onion (*Allium cernuum*)
- \_\_\_ Fairyslippers (*Calypso bulbosa*)
- \_\_\_ Strawberry blite (*Chenopodium capitatum*)
- \_\_\_ Bitterroot (*Lewisia rediviva*)
- \_\_\_ Small-leaved montia (*Montia parviflora*)
- \_\_\_ Holboell's rockcress (*Arabis holboellii*)
- \_\_\_ Old man's whiskers (*Geum triflorum*)
- \_\_\_ Red clover (*Trifolium pratense*)
- \_\_\_ Fireweed (*Epilobium angustifolium*)
- \_\_\_ Pink wintergreen (*Pyrola asarifolia*)
- \_\_\_ Shooting star (*Dodecatheon pulchellum*)
- \_\_\_ Spreading dogbane (*Apocynum androsaemifolium*)
- \_\_\_ Spreading phlox (*Phlox diffusa*)
- \_\_\_ Narrow-leaved collomia (*Collomia linearis*)
- \_\_\_ Hound's tongue (*Cynoglossum officinale*)
- \_\_\_ Common red paintbrush (*Castilleja miniata*)
- \_\_\_ Owl-clover (*Orthocarpus tenuifolius*)
- \_\_\_ Twinflower (*Linnaea borealis*)
- \_\_\_ Pink pussytoes (*Antennaria rosea*)

## **BLUE/PURPLE**

- \_\_\_ Green-banded mariposa lily (*Calochortus macrocarpus*)
- \_\_\_ Blue-eyed grass (*Sisyrinchium idahoense*)
- \_\_\_ Wild crocus (*Anemone patens*)
- \_\_\_ Larkspur (*Delphinium nuttallianum*)
- \_\_\_ Marsh cinquefoil (*Potentilla palustris*)
- \_\_\_ Timber milkwetch (*Astragalus miser*)
- \_\_\_ Purple peavine (*Lathyrus nevadensis*)
- \_\_\_ American vetch (*Vicia americana*)
- \_\_\_ Alfalfa (*Medicago sativa*)
- \_\_\_ Silky lupine (*Lupinus sericeus*)
- \_\_\_ Wild blue flax (*Linum perenne*)
- \_\_\_ Early blue violet (*Viola adunca*)
- \_\_\_ Northern gentian (*Gentianella amarella*)
- \_\_\_ Jacob's-ladder (*Polemonium pulcherrimum*)
- \_\_\_ Thread-leaved phacelia (*Phacelia linearis*)
- \_\_\_ Mertensia (*Mertensia longiflora*)
- \_\_\_ Viper's bugloss (*Echium vulgare*)
- \_\_\_ Western stickseed (*Lappula redowskii*)
- \_\_\_ Canada mint (*Mentha arvensis*)
- \_\_\_ Self-heal (*Prunella vulgaris*)
- \_\_\_ Blue-eyed Mary (*Collinsia parviflora*)
- \_\_\_ Small-flowered penstemon (*Penstemon procerus*)
- \_\_\_ Harebell (*Campanula rotundifolia*)
- \_\_\_ Showy aster (*Aster conspicuus*)
- \_\_\_ Douglas aster (*Aster subspicatus*)
- \_\_\_ Showy daisy (*Erigeron speciosus*)
- \_\_\_ Spotted knapweed (*Centaurea maculosa*)
- \_\_\_ Canada thistle (*Cirsium arvense*)
- \_\_\_ Bull thistle (*Cirsium vulgare*)

## **SHRUBS**

- \_\_\_ Scouler's willow (*Salix scouleriana*)
- \_\_\_ Sitka alder (*Alnus crispa*)
- \_\_\_ Blue clematis (*Clematis occidentalis*)
- \_\_\_ Oregon grape (*Mahonia aquifolium*)
- \_\_\_ Northern black currant (*Ribes hudsonianum*)
- \_\_\_ Sticky currant (*Ribes viscosissimum*)
- \_\_\_ Black gooseberry (*Ribes lacustre*)
- \_\_\_ Raspberry (*Rubus idaeus*)
- \_\_\_ Antelope-bush (*Purshia tridentata*)
- \_\_\_ Common wild rose (*Rosa nutkana*)
- \_\_\_ Prickly rose (*Rosa acicularis*)

- \_\_\_ Western mountain ash (*Sorbus scopulina*)
- \_\_\_ Thimbleberry (*Rubus parviflorus*)
- \_\_\_ Saskatoon (*Amelanchier alnifolia*)
- \_\_\_ Birch-leaf spirea (*Spiraea betulifolia*)
- \_\_\_ Choke cherry (*Prunus virginiana*)
- \_\_\_ Shrubby cinquefoil (*Potentilla fruticosa*)
- \_\_\_ False box (*Paxistima myrsinites*)
- \_\_\_ Red-stem ceanothus (*Ceanothus sanguineus*)
- \_\_\_ Soopolallie (*Shepherdia canadensis*)
- \_\_\_ Wolf willow (*Elaeagnus commutata*)
- \_\_\_ Douglas maple (*Acer glabrum*)
- \_\_\_ Red-osier dogwood (*Cornus stolonifera*)
- \_\_\_ Prince's pine (*Chimaphila umbellata*)
- \_\_\_ Grouseberry (*Vaccinium scoparium*)
- \_\_\_ Huckleberry (*Vaccinium membranaceum*)
- \_\_\_ Kinnikinnick (*Arctostaphylos uva-ursi*)
- \_\_\_ Utah honeysuckle (*Lonicera utahensis*)
- \_\_\_ Black twinberry (*Lonicera involucrata*)
- \_\_\_ Orange honeysuckle (*Lonicera ciliosa*)
- \_\_\_ Twinflower (*Linnaea borealis*)
- \_\_\_ Snowberry (*Symphoricarpos albus*)
- \_\_\_ Rabbit-brush (*Chrysothamnus nauseosus*)
- \_\_\_ Common juniper (*Juniperus communis*)
- \_\_\_ Creeping juniper (*Juniperus horizontalis*)